



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

POLIOMYELITIS (INFANTILE PARALYSIS).

CASES AND DEATHS REPORTED BY CITY HEALTH AUTHORITIES FOR
THE WEEK ENDED NOV. 2, 1912.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Aurora, Ill.....	3		New York, N. Y.....	16	1
Baltimore, Md.....	1	1	Philadelphia, Pa.....	1	
Brockton, N. Y.....	1		Pittsburgh, Pa.....	1	
Chicago, Ill.....	2		Rockford, Ill.....	1	
Cleveland, Ohio.....	4	1	San Francisco, Cal.....	1	
Columbus, Ohio.....	1		Worcester, Mass.....	1	
Manchester, N. H.....	1	1	York, Pa.....	2	
New Orleans, La.....	1				

RABIES.

During the week ended November 2, 1912, 1 death from rabies was reported by the sanitary superintendent at New York, N. Y.

TETANUS.

During the week ended November 2, 1912, tetanus was reported by city health authorities as follows: Haverhill, Mass., 1 case, 1 death; Nashville, Tenn., 1 death; New York, N. Y., 1 death; Pittsburgh, Pa., 1 death; Worcester, Mass., 1 death.

SMALLPOX IN THE UNITED STATES.

CITY REPORTS.

Cases and Deaths Reported by City Health Authorities for the Week Ended
Nov. 2, 1912.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Altoona, Pa.....	1		New Orleans, La.....	1	
Cincinnati, Ohio.....	1		Pittsburgh, Pa.....	1	
Cleveland, Ohio.....	2		San Francisco, Cal.....	1	
Detroit, Mich.....	13		Spokane, Wash.....	3	
Evansville, Ind.....	7		Washington, D. C.....	3	
La Crosse, Wis.....	6				

STATE REPORTS.

This table is compiled from reports made to the Bureau of the United States Public Health Service by the health authorities of certain States and shows the number of cases of smallpox notified to the authorities in these States.

The following States report monthly: Arizona, California, Colorado, Connecticut, Illinois, Indiana, Iowa, Kansas, Maine, Maryland, Massachusetts, Michigan, Montana, New Jersey, New York, North Carolina, North Dakota, Oklahoma, Ohio, Oregon, Pennsylvania, South Dakota, Texas, Utah, Vermont, Virginia, Washington, Wisconsin, and Wyoming.

Florida, Minnesota, and the District of Columbia report by weeks.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received During Week Ended Nov. 22, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Maine:				
Counties—				
Franklin.....	Oct. 1-31.....	15		
Oxford.....	do.....	32		
Penobscot.....	do.....	6		
Somerset.....	do.....	1		
Total.....		54		
North Dakota:				
Counties—				
Bottineau.....	Oct. 1-31.....	3		
Burleigh.....	do.....	4		
Cavalier.....	do.....	2		
Lamoure.....	do.....	6		
Ward.....	do.....	49		
Total.....		64		
Oregon:				
Counties—				
Harney.....	July 1-31.....	4		
Marion.....	do.....	1		
Multnomah.....	do.....	5		
Total.....		10		
Marion.....	Aug. 1-31.....	2		
Wasco.....	do.....	1		
Total.....		3		
Hood River.....	Sept. 1-30.....	2		
Jackson.....	do.....	3		
Wasco.....	do.....	2		
Total.....		7		

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLES FOR CERTAIN DISEASES,
CITIES OF THE UNITED STATES, FOR WEEK ENDED NOV. 2, 1912.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.		Typhoid fever.			
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.		
<i>Cities having over 500,000 in- habitants.</i>														
Baltimore, Md.	558,485	197	29	2	3		8		40	31	23	2		
Boston, Mass.	670,585	197	36	1	56	1	27		60	16	4	1		
Chicago, Ill.	2,185,283	633	249	27	85		149	12	137	61	23	8		
Cleveland, Ohio.	560,663	159	112	2	8		20	1	31	17	4			
New York, N. Y.	4,766,883	1,149	305	15	91	2	102	9	452	123	50	14		
Philadelphia, Pa.	1,549,008	382	63	5	67		41	1	58	33	18	2		
Pittsburgh, Pa.	533,905	174	77	9	115	1	39	2	19	11	8			
St. Louis, Mo.	687,029	190	57	6	15		17		29	13	10			
<i>Cities having from 300,000 to 500,000 inhabitants.</i>														
Buffalo, N. Y.	423,715	82	11		70		8		15	4				
Cincinnati, Ohio.	364,463	115	23		74		10			9	6			
Detroit, Mich.	465,766	144	46	4			16							
Los Angeles, Cal.	319,198	106	12		2		10		27	20	11	1		
Milwaukee, Wis.	373,857		33	2	5		11		11	7	5	1		
Newark, N. J.	347,469	99	34	1	6		15		34	10	3			
New Orleans, La.	339,075	114	74	1	6		3		63	17	9			
San Francisco, Cal.	416,912	148	8				3		9	13	7	2		
Washington, D. C.	331,069	113	5				2		18	14	9	1		